

T. 5 N. R. 8 E. 2nd Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

 The figures on the lines refer to the page.

427

Township N. 5 North, Range N. 8 East 2. Mer. Indi.
ch. l. l.

South Boundary. Aug. 27th 1886

Went On Rand^m S. boundary of Sec. 36
15.00 a Brook 5 lms. S. E. kept down it crossing it
27.00 left brook running N. W.
40.00 left temp^y. gr. Sec. post
50.00 at Brook 5 lms. wide C. P. S.
80.00 left temp^y. Cor. to Sec. 35 & 36
Land broken, timber Beech, Oak &c.

Went On Rand^m S. boundary of Sec. 35
40.00 left temp^y. gr. Sec. post
58.50 a Brook 20 lms. wide Course S. W.
65.00 looped brook
80.00 left temp^y. Cor. to Sec. 34 & 35
Fatter timber first part - last part rich land
timber Beech, Sugar &c.

Went On Rand^m S. boundary of Sec. 34
29.00 a Brook 3 lms. wide C. P. S.
40.00 left temp^y. gr. Sec. post
77.00 at Brook 20 lms. wide C. P. S. W.
80.00 left temp^y. Cor. to Sec. 33 & 34
Rich hilly land, timber Beech, Sugar &c.

Went On Rand^m S. boundary of Sec. 33
40.00 left temp^y. gr. Sec. post
57.00 a Creek 120 lms. wide Course S.
80.00 left temp^y. Cor. to Sec. 32 & 33
First rate land, timber Sugar, Beech &c.

Went On Rand^m S. boundary of Sec. 32
15.00 a Brook 5 lms. wide Course S.
40.00 left temp^y. gr. Sec. post
43.00 at Brook 3 lms. wide Course S.
53.00 a do. 3 " " " S.
80.00 left temp^y. Cor. to Sec. 31 & 32

428

S. 5. N. R. 8 E. 2nd Mer. Indiana
 ch^l. lth Rich, level land, timber Sugar, Beech &c.

West On Rand^m S. boundary of Sec. 31
 5.00 a Brook 2 lth. wide Corner N.W.
 22.00 a Do. 3 " " " S.W.
 39.00 a Creek 75 lth. " " " S.W.
 40.00 Set timpt. of Sec. post
 79.00 fell 14 lth. S. of post, Cor. to Township 4 of
 5 North, Range 7 of 8 East.
 Rich bottom, land, timber Sugar, Beech &c

True Line, var. 5.50' E.
 East On S. boundary of Sec. 31
 39.00 Set of Sec. post, from which
 a Lycamore 36 in. dia. bay N 20 E 40 lth. dist. of
 a Box Elder 10 " " " N 50 E 41 " "
 79.00 Set post Cor. to Sec. 31 of 32, from which
 a Beech 18 in. dia. bay N 59 W 16 lth. dist. of
 a Do. 16 " " " N 43 E 60 " "

East On S. boundary of Sec. 32
 40.00 Set of Sec. post, from which
 a Beech 13 in. dia. bay S 52 W 16 lth. dist. of
 a Do. 18 " " " N 42 E 24 " "
 80.00 Set post Cor. to Sec. 32 of 33, from which
 a Sugar 12 in. dia. bay N 32 E 24 lth. dist. of
 an Ash 30 " " " S 66 W 34 " "

East On S. boundary of Sec. 33
 40.00 Set of Sec. post, from which
 a Sugar 18 in. dia. bay N 60 E 11 lth. dist. of
 a Do. 36 " " " S 36 W 32 " "
 80.00 Set post Cor. to Sec. 33 of 34, from which
 a Beech 12 in. dia. bay N 8 E 4 lth. dist. of
 a Sugar 18 " " " S 63 W 37 " "

S. N. R. & E. 2nd Mer. Indiana

ch. 1st 1/4
 East On S. boundary of Sec. 34
 40.00 at q. Sec. post, from which
 a Beech 6 in. dia. bray N 37 1/2 W 8 1/2 ch. dist. of
 a cherry 30 " " " S 30 W 30 " "
 80.00 at post Cor. to Sec. 34 & 35, from which
 a Beech 14 in. dia. bray N 73 E 6 1/2 ch. dist. of
 a do. 15 " " " S 36 W 33 " "

East On S. boundary of Sec. 35
 40.00 at q. Sec. post, from which
 a sugar 14 in. dia. bray N 88 W 7 1/2 ch. dist. of
 a Beech 16 " " " N 50 E 49 " "
 80.00 at post Cor. to Sec. 35 & 36, from which
 a Beech 16 in. dia. bray S 10 W 10 1/2 ch. dist. of
 a do. 12 " " " N 36 E 33 " "

East On S. boundary of Sec. 36
 40.00 at q. Sec. post, from which
 a Beech 12 in. dia. bray S 66 W 4 1/2 ch. dist. of
 a Poplar 12 " " " N 62 E 25 " "
 80.00 to Township Corner.
 Alexander Holmes, Deputy Surveyor
 August 28th 1876

East Boundary.
 November 3rd 1876. var. 5° 25' E.
 North On E. boundary of Sec. 36
 31.33 at Beech 12 in. dia.
 40.00 at q. Sec. post, from which
 a Beech 8 in. dia. bray N 74 1/2 E 2 1/2 ch. dist. of
 a do. 16 " " " S 31 1/2 W 10 " "
 58.50 a Creek 50 ch. wide Course S. W. (nearly dry)
 61.04 a sugar 11 in. dia.
 80.00 at post Cor. to Sec. 35 & 36, from which
 a Beech 15 in. dia. bray S 87 E 3 1/2 ch. dist. of
 a sugar 18 " " " S 60 W 32 " "

T5 N - R8 E. 2^d. Mer. Indianach. 2nd 1/2

1st 1/2 mile Over level 2nd rate land, rather wet in the Spring - last 1/2 mile over rolling land, the greater part of the timber fallen down, and a thick Spruce underg^o. good farming land

North On E. boundary of Sec. 25

22.66 a Beech 12 in. diam.

40.00 Set of Sec. post, from which
a Beech 18 in. diam. 1/2 way S 42 E 1/4 ch. dist. of
a do. 6 " " " N 43 W 9 " "

61.50 a Small dry branch Course N

63.42 a Beech 5 in. diam.

80.00 Set post cor. to Sec. 24 of 25, from which
a Beech 12 in. diam. 1/2 way West 13 ch. dist. of
a do. 11 " " " N 63 W 27 " "

The 1st 1/2 mile Over flat land, timber principally Beech - the last 1/2 mile over rolling land, fallen timber in general very thick, underg^o. Spruce, birch &c. (Middling farming land)

North On E. boundary of Sec. 24

21.00 a Small dry branch 10 ch. wide Cor. N.

27.71 a Poplar 48 in. diam.

40.00 Set of Sec. post, from which
a Beech 15 in. diam. 1/2 way S 35 W 1/4 ch. dist. of
a do. 24 " " " N 42 E 23 " "

68.97 a Beech 18 " "

79.00 a Creek 40 ch. wide Course N.

80.00 Set post cor. to Sec. 13 of 24, from which
a Beech 15 in. diam. 1/2 way N 72 E 1/4 ch. dist. of
an Elm 18 " " " N 43 W 5 " "

Over rolling 2nd rate land, timber principally Beech, underg^o. Spruce, Dogwood & gum trees, the last 1/2 mile good farming land.

North On E. boundary of Sec. 13

T5 N R8 E. 2. Mer. Indiana

431

ch. l. l. m.

22.30 a Poplar 20 m. dia.

40.00 Set of Sec. post, from which
a Beech 15 m. dia. bray N43 W 22 l. m. dist. of
a do. 15 " " " N15 E 9 " "

43.00 a Creek 50 l. m. wide Course W.

60.14 a Beech 8 m. dia.

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 6 m. dia. bray N20 E 28 l. m. dist. of
a do. 6 " " " N47 W 12 " "
Over rolling 2nd rate land, timber principally
Beech, some poplar & Gum, underg. Spruce
good farming land

North On E. boundary of Sec. 12

27.50 a dry branch 10 l. m. wide Course W.

40.00 Set of Sec. post, from which
a W. Oak 18 m. dia. bray S39 W 10 l. m. dist. of
a Beech 6 " " " N66 E 8 " "

63.20 a Beech 24 " "

80.00 Set post Cor. to Sec. 11 of 12, from which
a Beech 14 m. dia. bray N23 W 18 l. m. dist. of
a do. 24 " " " S23 E 34 " "
Over level 2nd rate land, timber Beech, Poplar
& Gum, principally, good farming land

North On E. boundary of Sec. 1

27.55 a Beech 15 m. dia.

40.00 Set of Sec. post, from which
a Poplar 30 m. dia. bray S67 E 20 l. m. dist. of
a Beech 13 " " " N12 W 18 " "

65.43 a Beech 18 " "

79.50 Intersected the E. & W. line 72 l. m. W. of temp.
Town Corner (For bearings at this Corner see
Brownson's notes of N. boundary T5 N. R9 E.)
(Description of land &c. Omitted)

Samuel Sisson, L. Surveyor

T5 N R8 E. 2.^d Mer. Indiana
ch. l. l. l.

North Boundary.

Nest on S89 $\frac{1}{2}$ W. On S. boundary of Sec. 36, T6 N. R8 E.
28.40 a Brook 4 l. m. wide Cr. St.

37.20 a d. l. o. 3 " " " St.

40.00 Set of Sec. post, from which
a Beech 16 in. dia. - bray N46 $\frac{1}{2}$ W15 l. m. dist. of
a Cherry 10 " " " N26 $\frac{1}{2}$ E19 " "

80.00 Set post Cor. to Sec. 35, 36, T6 N. R8 E, from which
a Beech 15 in. dia. - bray S79 $\frac{1}{2}$ E11 l. m. dist. of
a Sugar 16 " " " N75 $\frac{1}{2}$ W17 " "
Land level, timber Beech, Sugar, Oak &c.

Nest on S89 $\frac{1}{2}$ W. On S. boundary of Sec. 35, T6 N. R8 E.

40.00 Set of Sec. post, from which
a Beech 18 in. dia. - bray N65 $\frac{1}{2}$ E. 25 l. m. dist. of
a d. l. o. 15 " " " S35 $\frac{1}{2}$ W18 " "

80.00 Set post Cor. to Sec. 34, 35, T6 N. R8 E, from which
a Beech 18 in. dia. - bray S59 $\frac{1}{2}$ W16 l. m. dist. of
a d. l. o. 34 " " " N8 $\frac{1}{2}$ W10 " "

Land gently ascending & descending rich, timber
Beech Sugar, Ash, Oak, &c. winding^g, Spruce

Nest on S89 $\frac{1}{2}$ W. On S. boundary of Sec. 34, T6 N. R8 E.
4.65 a Creek 150 l. m. wide Course S.

40.00 Set of Sec. post, from which
a Beech 5 in. dia. - bray N35 $\frac{1}{2}$ W7 l. m. dist. of
a d. l. o. 8 " " " S21 $\frac{1}{2}$ W31 " "

80.00 Set post Cor. to Sec. 33, 34, from which
a Beech 7 in. dia. - bray N18 $\frac{1}{2}$ E30 l. m. dist. of
a W. Oak 24 " " " S9 $\frac{1}{2}$ E21 " "
Land level, timber Beech, Oak, Sugar &c.

Nest on S89 $\frac{1}{2}$ W. On S. boundary of Sec. 33, T6 N. R8 E.

40.00 Set of Sec. post, from which
a Beech 7 in. dia. - bray N36 $\frac{1}{2}$ W3 l. m. dist. of
a d. l. o. 7 " " " S5 $\frac{1}{2}$ E4 " "

T5 N R 8 E. 2^d Mer. Indiana

433

ch. 1/2 m.

74.40 a Brook 8 lms. wide Course S. W.

78.90 a do. 8 " " " S.

80.00 Set post Cor. to Sec. 32 & 33, T5 N. R 8 E, from which
a Beech 11 in. dia. - bray N 29 E 4 lms. dist. of
a do. - " " " N 55 W 24 " "
Land flat, timber Beech, Oak, Poplar, Hickory &c.

West on $89\frac{1}{2}^{\circ}$ W, On S. boundary of Sec. 32, T5 N. R 8 E.

40.00 Set of Sec. post, from which
a Beech 14 in. dia. - bray N 67 W 11 lms. dist. of
a S. Gum 14 " " " N 9 E 33 " "

46.70 a Brook 6 lms. wide Course S. W.

60.04 a do. 6 " " " North

79.90 a do. 15 " " " S. E.

80.00 Set post Cor. to Sec. 31 & 32, T5 N. R 8 E, from which
a Sugar 13 in. dia. - bray N 17 W 13 lms. dist. of
a Hickory 12 " " " N 17 E 10 " "
Land level, timber Beech, Sugar, Oak &c.

West on $89\frac{1}{2}^{\circ}$ W, On S. boundary of Sec. 31, T5 N. R 8 E.

5.20 a Brook 8 lms. wide Course S. W.

40.00 Set of Sec. post, from which
a Beech 13 in. dia. - bray N 60 W 6 lms. dist. of
a Sugar 7 " " " N 31 E 26 " "

69.15 Intersected the post Cor. to Township 5 & 6 N,
Range 7 & 8 East. Land level, timber
Beech, Hickory, Oak Ash &c. Nov. 7th 1806
John Brownson, d. S.

West Boundary

September 26th 1806! var. $5^{\circ} 50' E$.

North On E. boundary of Sec. 36, T5 N. R 7 E

12.50 a Brook 3 lms. wide Course S. E.

19.30 a Beech 16 in. dia.

29.00 a Brook 3 lms. wide Course S. E.

39.00 a do. 2 " " " S. E.

434

T5 N R8 E, 2nd Mer. Indiana

ch. 1/2

40.00 Let of Sec. post, from which
a Beech 15 in. diam. bear S 37 W 27 km. dist. of
a " 13 " " " N 15 E 20 " "

55.00 a Beech 30 in. diam. " " " "

79.50 a Brook 3 km. wide Course S.

80.00 Let post Cor. to Sec. 25 of 36, T5 N R7 E, from which
a Beech 7 in. diam. bear S 41 E 5 km. dist. of
a maple 12 " " " N 19 W 28 " "
First 1/2 mile hilly, timber Beech, Poplar, Ash,
etc. Last 1/2 level Beech land

North On E. boundary of Sec. 25, T5 N R7 E

13.00 a Brook 3 km. wide Course W.

22.29 an Ash 36 in. diam.

40.00 Let of Sec. post from which
a Beech 16 in. diam. bear S 10 E 7 km. dist. of
a Do. 18 " " " N 7 W 12 " "

78.70 a Gum 36 " "

80.00 Let post Cor. to Sec. 24 of 25, T5 N R7 E, from which
a Beech 10 in. diam. bear S 2 E 19 km. dist. of
a Do. 12 " " " N 12 W 18 " "
Level land timber Beech

North On E. boundary of Sec. 24, T5 N R7 E.

25.00 a Brook 3 km. wide Course E.

27.00 a Beech 12 in. diam.

32.50 a Brook 3 km. wide Course E.

40.00 Let of Sec. post, from which
a Beech 20 in. diam. bear S 32 W 27 km. dist. of
a Do. 12 " " " N 9 E 15 " "

65.00 a P. Oak 30 " "

66.00 a Brook 5 km. wide Course W.

70.00 a Do 4 " " " S. W.

80.00 Let post Cor. to Sec. 13 of 24, T5 N R7 E, from which
a Beech 30 in. diam. bear South 38 km. dist. of
an Ash 18 " " " N 2 W 33 " "

435

T5 N. R8 E. 2nd Mer. Indiana
 ch. 1st 1/2
 Land level, timber Beech, Poplar, Ash &c
 September 27th 1886

North On E. boundary of Sec. 13, T5 N. R7 E.

8.50 a Brook 3¹/₂ m. wide Course W.

18.00 a Do. 3 " " " S.W.

22.22 a Beech 18 in. diam.

40.00 Set q^r. Sec. post, from which
 a Beech 12 in. diam. bears N 9 E 27¹/₂ m. dist. of
 a Do. 14 " " " N 4 E 40 " "

66.00 a Beech 16 " "

80.00 Set post Cor. to Sec. 12 & 13, T5 N. R7 E, from which*
 Land level timber Beech, Poplar &c.

North On E. boundary of Sec. 12, T5 N. R7 E.

16.00 a Spring W.

18.65 an Ash 30 in. diam.

32.50 a Brook 15¹/₂ m. wide Course W.

40.00 Set q^r. Sec. post, from which
 a Beech 20 in. diam. bears N 20 E 29¹/₂ m. dist. of
 a Do. 16 " " " N 4 W 36 " "

67.50 a Brook 2¹/₂ m. wide Course E.

72.00 a Do. 2 " " " E.

80.00 Set post Cor. to Sec. 11 & 12, T5 N. R7 E, from which
 a Beech 5 in. diam. bears N 67 W 9¹/₂ m. dist. of
 a Do. 12 " " " S 33 E 20 " "
 Hilly land, timber Beech, Poplar &c.

North On E. boundary of Sec. 1, T5 N. R7 E

20.20 an Ash 16 in. diam.

40.00 Set q^r. Sec. post, from which
 a Beech 5 in. diam. bears N 41 E 16¹/₂ m. dist. of
 an Ash 12 " " " N 4 W 24 " "

69.40 a Beech 12 " "

80.00 Set post Cor. to Township 5 & 6 North, of
 Range 7 & 8 East, from which

*See Beech 12 - 529 ft 13 in. dist
 from Do. 24 - 1776 ft 12 in. "

436

T5N-R8E. 2^d. Mer. Indianach. 2^d 1/2

a Beech 30 in. dia. bears S 72 E 26 lks. dist. of
 a No. 16 " " " N 62 7/27 "
 Good land, timber Beech, Poplar, Ash &c
 September 28th 1806

Surveyed By

Alexander Holmes,

Deputy Surveyor

Subdivision. November 29th 1806

North Between Secs. 35 & 36

24.08 a Poplar 36 in. dia.

34.50 a Creek 20 lks. wide course West

40.00 Set q. Sec. post, from which

a Beech 6 in. dia. bears S 86 W 14 lks. dist. &

a Sugar 12 " " " N 29 E 23 " "

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which

a Beech 15 in. dia. bears N 48 E 15 lks. dist. &

a No. 6 " " " S 12 W 9 " "

Over rolling Land 2nd rate timber Beech Poplar

Sugar very thickety and fallen timber middling

good farming Land -

East On Random between Secs. 25 & 36

40.00 Set temp. q. Sec. post

79.38 Intersected the E. boundary 8 lks. N. of post

Land and timber the same a good part of this
 mile is fallen timber and Spice & briars thicketsNovember 30th 1806

West Connected between Secs. 25 & 36

59.69 Set q. Sec. post at average dist. from which

a Beech 14 in. dia. bears S 30 W 10 lks. dist. &

a No. 36 " " " N 5 E 12 " "

79.38 to Section Corner

North Between Secs. 25 & 26

437

S N R 8 E. 2^d Mer. Indiana

Ch. P. 16 1/2

20. 00 a small brook course W.
 40. 00 Set q. Sec. post, from which
 a Beech 14 in. dia. bears S 48 W 11 lbs. dist. 4
 a No. 10 " " " N 80 W 11 " "
 64. 20 a Beech 12 " "
 80. 00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
 a Beech 12 in. dia. bears S 52 E 15 lbs. dist. 4
 a No. 20 " " " S 88 W 34 " "
 Over level land 2nd rate timber principally beech Spice
 Undergrowth middling farming Land-

East On Random between Secs. 24 & 25

16. 00 a Creek 20 lbs. wide course N. W.
 35. 00 a small brook - - - S. W
 40. 00 Set temp. q. Sec. post
 80. 40 Intersected the N. & S. line 6 lbs. S. of post
 over rolling Land 2nd rate timber same undergrowth
 Spice good farming Land-

West Connected between Secs. 24 & 25

40. 20 Set q. Sec. post, at average dist. from which
 a Beech 6 in. dia. bears S 22 W 4 lbs. dist. 4
 a Sugar 10 " " " N 78 E 28 " "
 80. 40 to Section Corner

North Between Secs. 23 & 24

12. 00 a Creek 30 lbs. wide course S. W.
 17. 97 a Beech 12 in. dia.
 40. 00 Set q. Sec. post, from which
 a Beech 12 in. dia. bears N 81 E 23 lbs. dist. 4
 a No. 14 " " " N 81 W 9 " "
 60. 38 a Beech 9 " "
 80. 00 Set post Cor. to Secs. 13, 14, 23 & 24, from which
 a Beech 18 in. dia. bears S 34 E 20 lbs. dist. 4
 a No. — " " " N 34 W 20 " "
 Over rolling Land good 2nd rate timber Beech

S 5 N 8 E, 2^d Mer. Indiana
ch. 2th
 and Sugar principally good farming Land

East On Bardon between Sec^s. 13 & 24

40.00 Set temp^y. q. Sec. post

60.50 a Creek 20 lks. wide Course S.

77.00 a No. 15 " " " N W.

81.21 Intersected the E. boundary 18 lks. N. of post
 the first half mile Over level flat Land timber
 Beech & Gum - rather thin soil - the last rolling
 timber Beech & Sugar good for farming Land

West Corrected between Sec^s. 13 & 24

40.60 Set q. Sec. post, at average dist. from which
 a Beech 8 in. dia. bears N 81 W 10 lks. dist. &

a No. 18 " " " S 72 E 6 " "

81.21 to Section Corner

North Between Sec^s. 13 & 14

7.50 a Small brook course S. W.

20.00 a Beech 18 in. dia.

40.00 Set q. Sec. post, from which

a Beech 6 in. dia. bears N 46 E 10 lks. dist. &

a No. 9 " " " S 84 W 20 " "

52.50 a Brook 10 lks. wide course W.

59.33 a Beech 14 in. dia.

72.00 a dry Creek 15 lks. wide Course S. W.

80.00 Set post cor. to Sec^s. 11, 12, 13 & 14, from which

a Beech 8 in. dia. bears S 82 W 4 lks. dist. &

a No. 16 " " " N 58 E 23 " "

Over 2nd rate Land rather rolling timber Beech
 Poplar Sugar &c. undergrowth Spice good for farming

East On Prandon between Sec^s. 12 & 13

10.00 a Brook 15 lks. wide Course S. W.

40.00 Set temp^y. q. Sec. post.

80.82 Intersected the E. boundary 148 lks. N. of post

S 1/2 Sec 2 E. 2^d. Mer. Indiana

439

ch. 1/2

The first half mile - Land timber the same the last
level timber Beech Oak & Gum middling farming Land

West Connected between Sec. 12 & 13

40. 41 Set q. Sec. post. at average dist. from which
a S. Gum 18 in. dia. bears N 66 E 20 lks. dist. &
a Beech 11 " " " N 83 W 21 " "

80. 82 to Section Corner

North Between Sec. 11 & 12

24. 90 a W. Oak 18 in. dia.

52. 00 a Creek 20 lks. wide Course W.

40. 00 Set q. Sec. post. from which
a Beech 8 in. dia. bears S 69 E 34 lks. dist. &
a Do. 18 " " " N 59 W 17 " "

63. 66 a Poplar 24 " "

80. 00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 13 in. dia. bears S 64 E 28 lks. dist. &
a Do. 9 " " " N 68 W 11 " "
over rolling Land timber beech Sugar Poplar &c.
good for farming Land

East On Pradom between Sec. 1 & 12

40. 00 Set temp. q. Sec. post.

72. 00 a Brook 6 lks. wide Course S. W.

80. 64 Intersected the E. boundary 150 lks. N. of post
over rolling Land 2^d. rate timber same middling
farming Land

West Connected between Sec. 1 & 12

40. 32 Set q. Sec. post. at average dist. from which
a Sugar 18 in. dia. bears N 63 E 20 lks. dist. &
a Beech 9 " " " S 60 W 13 " "

80. 64 to Section Corner

North Between Sec. 1 & 2

440

S. N. & E. 2nd Mer. Indiana

ch. l. l. m.

- 00.50 a Small Stream of water course W.
 20.91 a Beech 13 in. dia.
 40.00 Set q. Sec. post, from which
 a Sugar 7 in. dia. bears N 15 E 18 lks. dist. &
 a Beech 18 " " " S 3 E 16 " "
 40.25 a Small Stream of water 6 lks. wide Course S. W.
 70.58 a Poplar 36 in. dia.
 76.91 Intersected the N. boundary 15 lks. W. of post.
 Set post Cor. to Sect. 1 & 2. from which,
 a Beech 18 in. dia. bears S 84 E 27 lks. dist. &
 a Sugar 18 " " " N 31 W 4 " "
 Over rolling Land 2nd rate timber Beech Sugar good
 farming Land -

December 2nd 1806

North Between Sect. 34 & 35.

- 20.98 a Beech 12 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 8 in. dia. bears S 86 W 27 lks. dist. &
 a Do 12 " " " N 3 E 18 " "
 52.00 a Creek 10 lks. wide Course W.
 61.25 a Beech 20 in. dia.
 80.00 Set post Cor. to Sect. 26, 27, 34 & 35, from which
 a Beech 20 in. dia. bears S 79 W 14 lks. dist. &
 a Do. 24 " " " N 53 E 39 " "
 Over rather broken Land timber Beech Sugar
 Poplar &c. undergrowth Spice and briars middling
 farming Land -

East On Pradom between Sect. 26 & 35

- 20.50 a Creek 12 lks. wide Course S. W.
 40.00 Set temp. q. Sec. post
 79.17 Intersected the N. & S. line 60 lks. S. of post.
 Rolling Land timber same as on the last mile
 middling farming Land -

ch. 1/4

West Connected between Sec^s. 26 & 35

- 39.58 Set of. Sec. post, at average dist. from which
a Beech 9 in. dia. bears N 60° W 10 lbs. dist. &
a No. 18 " " " S 77° E 22 " "
79.17 to Section Corner

North Between Sec^s. 26 & 27

- 26.92 a Beech 30 in. dia.
40.00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 46° W 16 lbs. dist. &
a No. 12 " " " N 32° E 23 " "
51.50 a Brook 10 lbs. wide Course W.
55.00 a No. 20 " " " S W.
80.00 Set post Cor. to Sec^s. 22, 23, 26 & 27, from which
a Beech 20 in. dia. bears S 63° E 19 lbs. dist. &
a No. 12 " " " S 64° W 22 " "
Over-rolling Land good 2nd rate timber Beech, Sugar,
Poplar &c. undergrowth Spice good for farming land -

East On Random between Sec^s. 23 & 26

- 34.00 a Creek 20 lbs. wide Course S. W.
40.00 Set temp. of. Sec. post
78.58 Intersected the N. & S. line 88 lbs. S. of post
Land and timber same as last mile -

West Connected between Sec^s. 23 & 26

- 39.29 Set of. Sec. post, at average dist. from which
a Dogwood 9 in. dia. bears S 34° E 12 lbs. dist. &
a Sugar 16 " " " N 37° W 15 " "
78.58 To Section Corner

North Between Sec^s. 22 & 23

- 28.21 a Beech 5 in. dia.
40.00 Set of. Sec. post, from which
a Beech 18 in. dia. bears S 65° W 29 lbs. dist. &
a No. 18 " " " N 64° E 19 " "

442

5 N R & E. 2^d Mer. Indiana

ch^d 11th

- 58.50 a Brook 10 lbs. wide Course S.W.
 80.00 Set post Cor. to Sec^s. 14, 15, 22, & 23, from which
 a Sugar 10 in. dia. bears N 69 E 29 lbs. dist. &
 a Beech 12 " " " N 84 W 10 " "
 Land and timber same as on the last mile

East On Random between Sec^s. 14 & 23

- 40.00 Set temp^y. q. Sec. post.
 77.43 Intersected the N. & S. line 63 lbs. N. of post.
 over rolling Land 2nd rate Timber Beech Sugar-
 Poplar undergrowth Spice good farming Land

West Corrected between Sec^s. 14 & 23

- 39.71 Set q. Sec. post, at average dist. from which
 a Beech 10 in. dia. bears N 27 W 9 lbs. dist. &
 a No. 12 " " " S 31 E 22 " "
 79.43 to Section Corner.

December 4th 1806.

North Between Sec^s. 14 & 15

- 28.31 a Beech 24 in. dia.
 33.90 a Creek 30 lbs. wide Course W.
 40.00 Set q. Sec. post, from which
 a Sugar 18 in. dia. bears S 9 E 17 lbs. dist. &
 a Beech 20 " " " N 12 W 23 " "
 61.13 a Sugar 12 " "
 80.00 Set post Cor. to Sec^s. 10, 11, 14 & 15, from which
 a Hickory 12 in. dia. bears S 61 E 14 lbs. dist. &
 a Beech 18 " " " S 58 W 23 " "
 Land timber &c. same as on the last mile -

East On Random between Sec^s. 11 & 14

- 40.00 Set temp^y. q. Sec. post
 78.64 Intersected the N. & S. line 108 lbs. S. of post
 Level Land timber same good farming Land

5 N 28 E. 2^d Mer. Indiana

443

ch. P. 167

West Corrected between Sec. 11 & 14

39.57 Set q. Sec. post, at average dist. from which
a Beech 8 in. dia. bears N 36 W 6 lbs. dist. &
a No. 20 " " " S 5 W 17 " "

78.64 to Section Corner

North Between Sec. 10 & 11

22.83 a Blue Ash 18 in. dia.

40.00 Set q. Sec. post, from which
a Sugar 11 in. dia. bears S 85 W 10 lbs. dist. &
a B. Walnut 20 " " " N 82 E 33 " "

62.42 a Sugar 6 " "

77.50 a Brook 15 lbs. wide Course West.

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Sugar 11 in. dia. bears S 35 W 11 lbs. dist. &
a No. 14 " " " N 10 E 33 " "
over rolling land a very good 2nd rate timber Beech,
Poplar, Sugar, Walnut, Ash &c. undergrowth Spice
excellent farming Land

East On Prandom between Sec. 2 & 11

40.00 Set temp. q. Sec. post

79.07 Intersected the N. & S. line 65 lbs. S. of post.
over rolling Land 2nd rate timber Beech Sugar
Poplar &c. undergrowth Spice good farming Land

West Corrected between Sec. 2 & 11

39.53 Set q. Sec. post, at average dist. from which
a Beech 21 in. dia. bears S 4 W 16 lbs. dist. &
a No. 24 " " " N 11 E 28 " "

79.07 to Section Corner

North Between Sec. 2 & 3.

10.00 a Creek 1.00 lbs. wide Course S. W.

31.17 a Beech 20 in. dia.

40.00 Set q. Sec. post, from which

444

T5 N R8 E. 2nd Mer Indiana

ch. 2. 1/2

a Beech 12 in. dia. bears S 50 E 1 1/4 lh. dist. 4
 a No. 30 " " " N 47 W 17 " "
 48.50 a Creek 1.50 lh. wide course S. E.
 62.88 a Beech 1 1/4 in. dia.
 75.64 Intersected the N. boundary 150 lh. E. of post
 Set post Cor. to Sect. 2 & 3, from which
 a Beech 15 in. dia. bears S 73 W 23 lh. dist. 4
 a No. 12 " " " S 55 E 7 " "
 Land and timber same as last mile

December 5th 1806

North Between Sect. 33 & 34

22.72 a Beech 1 1/4 in. dia.
 37.50 a Small Stream of water course S. W.
 40.00 Set q. Sec. post, from which
 a Hickory 5 in. dia. bears S 62 W 12 lh. dist. 4
 a Beech 20 " " " N 55 E 4 " "
 80.00 Set post Cor. to Sect. 27, 28, 33 & 34, from which
 a Beech 11 in. dia. bears N 81 E 26 lh. dist. 4
 a No. 14 " " " S 16 W 13 " "
 Over rolling Land 2nd rate timber Beech, Poplar,
 Walnut, Ash, Sugar &c. Undergrowth Spice - good
 farming Land -

East On Pradom between Sect. 27 & 34

40.00 Set temp. q. Sec. post
 78.34 Intersected the N. & S. line 150 lh. S. of post.
 Land timber &c. Same as last mile

West Connected between Sect. 27 & 34

39.17 Set q. Sec. post, at average dist. from which
 a Beech 13 in. dia. bears N 77 W 20 lh. dist. 4
 a No. 20 " " " N 50 E 18 " "
 78.34 to Section Corner

North Between Sect. 27 & 28

S. N. R. & E. 2^d. Mer. Indiana

445

ch. 4. 1/2

- 10.00 a Creek 150 lbs. wide Course S. W.
 17.00 a No. 150 " " " S. E.
 25.12 a Sugar 8 in. dia.
 40.00 Set of Sec. post, from which
 a Sugar 12 in. dia. bears S 13 W 21 lbs. dist. &
 a Beech 30 " " " S 85 E 48 " "
 61.41 a No. 5 " "
 67.00 a Creek 150 lbs. wide Course S. W.
 80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
 a Sugar 18 in. dia. bears N 24 E 18 lbs. dist. &
 a Beech 30 " " " S 52 W 28 " "
 Land and Timber same as last mile

East On Random between Sec. 22 & 27

- 7.00 a Creek 15 lbs. wide Course S. W.
 40.00 Set temp. of Sec. post.
 79.36 Intersected the N. & S. line 139 lbs. S. of post
 Land timber &c. same as on the last mile

West Connected between Sec. 22 & 27.

- 39.68 Set of Sec. post, at average dist. from which
 a Sugar 13 in. dia. bears S 7 E 14 lbs. dist. &
 a Beech — " " " N 17 E 18 " "
 79.36 to Section Corner. December 6th 1806

North Between Sec. 21 & 22

- 10.10 a Creek 150 lbs. wide Course S. E.
 24.50 a No. 150 " " " W.
 27.19 a Beech 18 in. dia.
 37.50 a Creek 150 lbs. wide Course S. E.
 40.00 Set of Sec. post, from which
 a Beech 14 in. dia. bears N 63 W 11 lbs. dist. &
 a Sugar 12 " " " N 84 E 16 " "
 59.00 a Creek 105 lbs. wide Course S. W.
 64.56 a Beech 12 in. dia.
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which.

446

S. N. R. & E. 2^d. Mer. Indiana

ch. & l. h.

a Beech 24 in. dia. bears N 67 E 20 lks. dist. &
a No. 18 " " " S 55 W 34 " "
Land & timber same as last mile

East On Prandom between Sect. 15 & 22

40.00 Set temp. q. Sec. post

51.50 a Creek 15 lks. wide Course South

79.15 Intersected the N. & S. line 74 lks. S. of post
Land timber &c. same as last mile

West Connected between Sect. 15 & 22

39.57 Set q. Sec. post, at average dist. from which
a Sugar 10 in. dia. bears N 44 E 20 lks. dist. &
a Beech 13 " " " S 70 W 11 " "

79.15 to Section Corner

North Between Sect. 15 & 16

21.74 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which

a Beech 10 in. dia. bears N 50 E 8 lks. dist. &

a No. 30 " " " S 25 W 27 " "

66.70 a W. Oak 18 " "

80.00 Set post cor. to Sect. 9, 10, 15 & 16, from which

a Beech 20 in. dia. bears S 85 E 18 lks. dist. &

a No. 10 " " " N 41 W 42 " "

Over level land a poor 2^d. rate timber Beech Oak
& Sugar, Gum, Some Spice undergrowth
middling farming Land.

East On Prandom between Sect. 10 & 15

38.00 a Creek 100 lks. wide Course S. E.

40.00 Set temp. q. Sec. post.

80.71 Intersected the N. & S. line 84 lks. S. of post

Over rolling Land 2^d. rate timber Beech, Sugar, Ash,
Gum, Walnut, &c. undergrowth Spice good farming land

T5 N R8 E. 2^d. Mer. Indiana

447

ch. P. 11/2

West Corrected between Sect. 10 & 15.

- 40.35 Set q. Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 67 E 15 lks. dist. &
a No. 9 " " " N 46 W 16 " "
80.71 to Section Corner

North Between Sect. 9 & 10

- 17.00 a Brook 10 lks. wide Course E.
22.67 a Beech 13 in. dia.
40.00 Set q. Sec. post, from which
a Beech 24 in. dia. bears S 72 E 46 lks. dist. &
a No. 12 " " " N 65 W 37 " "
62.36 a Beech 10 " "
80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which
a Beech 10 in. dia. bears N 7 W 6 lks. dist. &
a No. 7 " " " S 4 E 14 " "
Land & timber same as last mile

East On Prandom between Sect. 3 & 10

- 20.00 a Creek 20 lks. wide Course S. E.
40.00 Set temp. q. Sec. post.
79.00 a Creek 150 lks. wide Course S. W.
82.08 Intersected the N. & S. line 80 lks. S. of post
over rolling land 2nd rate timber Beech, Poplar, Ash,
Sugar, &c. undergrowth Spice good farming Land

West Corrected between Sect. 3 & 10

- 41.04 Set q. Sec. post. at average dist. from which
a Beech 18 in. dia. bears S 52 W 12 lks. dist. &
a No. 12 " " " N 46 E 2 " "
82.18 To Section Corner

North Between Sect. 3 & 4

- 26.30 a Beech 14 in. dia.
40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears S 58 E 11 lks. dist. &

448

S 5 N R 8 E. 2^d. Mer. Indiana ch. lky

a Beech 12 in. dia. bears N 59 W 31 lks. dist.
65.76 a No. 12 "
77.83 Intersected the N. boundary 82 lks. N. of post
Set post Cor. to Sect. 3 & 4, from which
a Beech 10 in. dia. bears S 26 W 31 lks. dist. &
a Maple 11 " " " N 56 E 24 "
Over level land timber Beech, Gum, W. Oak, Poplar,
&c. about middling farming Land

December 7th 1806

North Between Sect. 32 & 33

40.00 Set q. Sec. post, from which
a Sugar 7 in. dia. bears S 55 W 32 lks. dist. &
a Beech 5 " " " N 70 E 15 "
69.14 a No. 15 "
80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which:
a Beech 12 in. dia. bears S 41 E 28 lks. dist. &
a Sugar 9 " " " N 77 W 15 "
Over land rolling 2^d. rate timber Beech Sugar Ash
Poplar &c. undergrowth Spice good farming Land

East On Pradom between Sect. 28 & 33

35.00 a Creek 150 lks. wide Course S. W
40.00 Set temp. q. Sec. post
55.00 a Creek 150 lks. wide Course N. W.
69.00 a No. 150 " " " S. W.
78.97 Intersected the N. & S. line 38 lks. N. of post
Land and timber same as last mile

West Connected between Sect. 28 & 33

39.48 Set q. Sec. post, at average dist. from which
a Beech 12 in. dia. bears N 28 E 20 lks. dist. &
a No. 20 " " " N 67 W 16 "
78.97 to Section Corner

North Between Sect. 28 & 29.

St R & E. 2nd Mer. Indiana

449

ch. P. lhy

23.46 a Beech 5 in. dia.

40.00 Set of Sec. post, from which

a Beech 14 in. dia. bears N 38 E 10 lks. dist. &

a No. 12 " " " S 51 N 39 " "

60.61 a Beech 9 " "

80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which

a Hickory 5 in. dia. bears N 73 E 13 lks. dist. &

a Beech 12 " " " S 75 N 25 " "

Land and timber same as on last mile

East On Random between Sect. 21 & 28

40.00 Set temp. of Sec. post

78.87 Intersected the N. & S. line 97 lks. N. of post.

Land timber &c. same as on last mile

West Connected between Sect. 21 & 28

39.43 Set of Sec. post, at average dist. from which

a Beech 12 in. dia. bears N 65 E 15 lks. dist. &

a No. 20 " " " S 36 N 11 " "

78.87 to Section Corner

North Between Sect. 20 & 21.

40.00 Set of Sec. post, from which

a Beech 18 in. dia. bears S 24 N 22 lks. dist. &

a Blue Ash 12 " " " N 73 E 21 " "

66.76 a Beech 24 " "

80.00 Set post Cor. to Sect. 16, 17, 20 & 21, from which

a Beech 12 in. dia. bears N 48 E 15 lks. dist. &

a No. 7 " " " S 74 N 16 " "

Land rather rolling timber Beech, Poplar, Oak & Gum, middling farming Land undergrowth Spice and Green hives—

East On Random between Sect. 16 & 21.

40.00 Set temp. of Sec. post

79.52 Intersected the N. & S. line 32 lks. S. of post

S. N. R. & E. 2nd Mer. Indiana

ch. lky

Land rolling timber Beech, Poplar, Sugar, Ash &c.
undergrowth Spice good for farming -

West Corrected between Sect. 16 & 21.

39.76 Set of. Sec. post, at averagedist. from which
a B. Gum 18 in. dia. bears N 83 E 7 lks. dist. &
a Beech 20 " " " S 87 W 19 " "

79.52 to Section Corner

North Between Sect. 16 & 17.

40.00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 45 W 7 lks. dist. &
a No. 20 " " " N 25 E 25 " "

45.00 a Creek 20 lks. wide Course S. W.

59.19 a Beech 12 in. dia.

80.00 Set a post Cor. to Sect. 8, 9, 16 & 17, from which
a W. Ash 24 in. dia. bears S 41 W 25 lks. dist. &
a Beech 14 " " " N 79 E 6 " "
Land timber &c. Same as on the last mile

East On Pradom Sect. 9 & 16

40.00 Set temp. of. Sec. post

79.62 Intersected the N. & S. line 24 lks. South of post.
Land and timber Same as last mile

West Corrected between Sect. 9 & 16

39.81 Set of. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S 17 W 17 lks. dist. &
a No. 8 " " " N 66 E 10 " "

79.62 to Section Corner

North Between Sect. 8 & 9.

20.78 a B. Walnut 16 in. dia.

40.00 Set of. Sec. post, from which
a Beech 20 in. dia. bears N 9 W 25 lks. dist. &
a No. 18 " " " S 2 E 14 " "

S. N. R. & E. 2nd Mer. Indiana

457

ch. 1st 1/4

71.50 a Creek 15 lbs. wide Course S. W.

80.00 Set post Cor. to Sect. 4, 5, 8 & 9, from which
a Beech 18 in. dia. bears N 43 W 25 lbs. dist. 7
a No. 10 " " " N 71 E 33 " "

Land rolling timber Beech, Sugar, Ash, Poplar,
undergrowth Spice good farming Land -

East On Random between Sect. 4 & 9

39.00 a Creek 12 lbs. wide Course S. W.

40.00 Set temp. q. Sec. post

79.44 Intersected the N. & S. line 27 lbs. S. of post.

Land and timber same as on last mile -

West Corrected between Sect. 4 & 9

39.72 Set q. Sec. post at average dist. from which
a Beech 11 in. dia. bears S 39 E 40 lbs. dist. 4

a No. 24 " " " N 45 W 16 " "

79.44 to Section Corner

North Between Sect. 4 & 5

25.00 a Beech 12 in. dia.

28.00 a Brook 10 lbs. wide course S. W.

40.00 Set q. Sec. post. from which

a Beech 12 in. dia. bears S 74 W 5 lbs. dist. 4

a No. 13 " " " S 57 E 18 " "

64.71 a Beech 12 " "

78.85 Intersected the N. boundary 41 lbs. E. of post

Set post. Cor. to Sect. 4 & 5, from which

a Beech 12 in. dia. bears S 32 E 30 lbs. dist. 4

a No. 12 " " " N 16 E 22 " "

over rolling land 2nd rate timber Beech, Ash,
Poplar, Sugar, &c. good farming Land

December 10th 1806

North Between Sect. 31 & 32

27.55 a Beech 11 in dia.

T5 N R8 E. 2^d Mer. Indiana

ch. l. lks

37.50 a Brook 10 lks. wide Course N. W.

40.00 Set of Sec. post, from which
a Sugar 10 in. dia. bears N23 E 2 1/2 lks. dist. &
a Beech 7 " " " S27 W 12 " "

59.37 a Sugar 10 " "

80.00 Set post Cor. to Sect. 29, 30, 31 & 32, from which
a Sugar 8 in. dia. bears S32 E 2 1/4 lks. dist. &
a Beech 12 " " " N W 16 " "
over rolling Land good Soil timber. Beech,
Poplar, Ash, Sugar, Walnut, & undergrowth
Spice good farming Land

East On Pradon between Sect. 29 & 32.

32.00 a Brook 10 lks. wide course N. E.

40.00 Set temp. q. Sec. post

79.78 Intersected the N & S. line 66 lks. N. of post
Land rather broken timber Beech, Poplar, Ash,
Oak &c. undergrowth same as last mile
midding farming Land

West Connected between Sect. 29 & 32

39.89 Set of Sec. post, at average dist. from which
a Beech 10 in. dia. bears S88 W 1/3 lks. dist. &
a Do. 20 " " " N71 E 9 " "

79.78 to Section Corner

West Between Sect. 30 & 31.

11.00 a Creek 20 lks. wide Course S.

19.92 a Sugar 10 in. dia.

40.00 Set of Sec. post, from which
a Beech 9 in. dia. bears N48 E 5 lks. dist. &
a Sugar 10 " " " S69 W 9 " "

62.06 a Beech 8 " "

76.53 Intersected the W. boundary 167 lks. S. of post
Set post Cor. to Sect. 30 & 31, from which
a Beech 10 in. dia. bears N4 W 1/2 lks. dist. &

453

S. N. R & E. 2^d. Mer. Indiana

ch. l. l. l.

Sugar 8 in. dia. bears S 15 W 25 lks. dist.
 over rolling land timber in the first half mile
 Beech, Poplar, Sugar, Ash, &c. excellent
 farming Land the last half mile, rather
 more broken timber Beech Oak Poplar &c.
 undergrowth Spice and brush green briars
 muddling farming Land.

North Between Secs. 29 & 30

- 15.00 a Small brook proceeds from a spring 100 lks. wide Course E.
 11.50 a Creek 15 lks. wide Course S. W.
 17.09 a Beech 10 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. bears N 74 E 23 lks. dist. &
 a No. 24 " " " S 62 W 25 " "
 64.40 a Beech 9 " "
 80.00 Set post Cor. to Secs. 19, 20 & 29, 30, from which
 a Sugar 9 in. dia. bears S 53 W 34 lks. dist. &
 a No. 6 " " " N 8 E 11 " "
 over rolling Land 2^d. rate timber Beech, Sugar, Poplar,
 Ash, &c. undergrowth Spice good farming land

West Between Secs. 19 & 30

- 7.00 a Creek 30 lks. wide Course S. W.
 48.00 Set of Sec. post, from which
 a Beech 20 in. dia. bears S 83 E 18 lks. dist. &
 a S. Gum 30 " " " S 82 W 17 " "
 60.84 a W. Ash 27 " "
 74.78 Intersected the W. boundary 100 lks. S. of post.
 Set post Cor. to Secs. 19 & 30, from which
 a Beech 13 in. dia. bears S 33 E 13 lks. dist. &
 a No. 12 " " " N 25 W 19 " "
 Land timber Same as on the last mile

East On Random between Secs. 28 & 29

- 40.00 Set temp. of Sec. post

T^h N R8 E. 2nd Mer. Indianach² 16

79.67 Intersected the N. & S. line 7 lks. S. of post
Land & timber same as on the last. mile

West Connected between Sec^s. 20 & 29.

39.83 Set of Sec. post, at average dist. from which
a Beech 12 in. dia. bears N 70 E 34 lks. dist. &
a Sugar 9 " " " S 81 W 2 " "

79.67 to Section Corner Dec. 11th. 1806

North Between Sec^s. 19 & 20

21.37 a Sugar 10 in. dia.

30.01 a Creek 30 lks. wide Course S. W.

40.00 Set of Sec. post, from which
a Hickory 18 in. dia. bears N 45 W 27 lks. dist. &
a Sugar 8 " " " S 46 W 58 " "

80.00 Set post Cor. to Sec^s. 17, 18, 19 & 20, from which
a Poplar 18 in. dia. bears N 72 W 17 lks. dist. &
a Beech 12 " " " N 71 E 16 " "
the first $\frac{3}{4}$ of the mile Creek bottoms - timber Beech
Sugar Ash Walnut &c. good farming Land -

East On Brandon between Sec^s. 17 & 20

15.10 a Creek 20 lks. wide Course S. W.

40.00 Set temp^y. of Sec. post

78.98 Intersected the N. & S. line 92 lks. N. of post.
Over rolling Land timber same as last mile -
good farming Land

West Connected between Sec^s. 17 & 20

39.49 Set of Sec. post, at average dist. from which
a Beech 20 in. dia. bears N 45 E 42 lks. dist. &
a Do. 20 " " " S 85 W 24 " "

78.98 to Section Corner

West Between Sec^s. 18 & 19

22.91 a P. Oak 14 in. dia.

455

S. N. R. & E. 2^d. Mer, Indiana

ch. P. 6th

40.00 Set of Sec. post, from which
a Beech 6 in. dia. bears East 20 lbs. dist. &
a No. 10 " " " S 1 W 28 " "

61.09 a Beech 12 " "

73.83 Intersected the W. boundary 50 lbs. S. of post

Set post Cor. to Sect. 18 & 19, from which
a Beech 30 in. dia. bears N 1 W 8 lbs. dist. &
a No. 18 " " " S 5 E 39 " "

Land level timber Beech, Sugar, Poplar, Gum, Ash,
&c. undergrowth Spice and Green briars. middling
farming Land,

North Between Sect. 17 & 18

25.72 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 7 in. dia. bears S 55 E 15 lbs. dist. &
a W. Ash 30 " " " N 51 W 10 " "

67.12 a Beech 5 " "

80.00 Set post Cor. to Sect. 7, 8, 17 & 18, from which
a Beech 13 in. dia. bears S 32 W 24 lbs. dist. &
a S. Gum 15 " " " N 11 W 29 " "

Land rolling timber Beech, Poplar, Sugar, Gum,
Maple &c. middling farming Land-

West Between Sect. 7 & 18.

22.50 a Beech 30 in. dia.

40.00 Set of Sec. post, from which
a Hickory 20 in. dia. bears S 85 W 2 lbs. dist. &
a Beech 5 " " " N 68 E 4 " "

65.00 a Creek 10 lbs. wide Course N. W.

72.26 Intersected the W. boundary 41 lbs. S. of post.

Set post Cor. to Sect. 7 & 18, from which
a Beech 14 in. dia. bears N 30 W 11 lbs. dist. &
a No. 24 " " " S 34 E 48 " "

Land level timber Beech, Sugar, Gum, Oak, Poplar-
&c. middling farming Land-

S. N. R. & E. 2nd Mer. Indiana

ch. 2. 1/2

East On Random between Sec. 8 & 17

40.00 Set temp. q. Sec. post

53.00 a Creek 20 lbs. wide Course S. W.

79.12 Intersected the N. & S. line 92 lbs. N. of post.
 the first 1/2 mile level the last half mile rolling
 timber Beech Poplar Sugar Ash &c. no undergr.
 good farming Land

West Corrected between Sec. 8 & 17

39.56 Set q. Sec. post, at average dist. from which
 a Beech 13 in. dia. bears N 42 W 15 lbs. dist. 4

a No. 11 " " " S 18 E 6 " "

79.12 to Section Corner

North Between Sec. 7 & 8

23.90 a Sugar 18 in. dia.

30.00 a Brook 10 lbs. wide Course S. W.

40.00 Set q. Sec. post, from which

a Beech 7 in. dia. bears S 14 E 21 lbs. dist. 4

a No. 8 " " " N 42 W 14 " "

67.50 a Beech 13 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which

a Beech 12 in. dia. bears N 55 W 9 lbs. dist. 4

a No. 7 " " " S 36 E 31 " "

Land part level & part rolling timber Same, Spice
 undergrowth Spice, middling good farming Land -

West Between Sec. 6 & 7.

25.50 a Creek 15 lbs. wide Course S. W.

28.06 a Beech 9 in. dia.

40.00 Set q. Sec. post, from which

a Beech 11 in. dia. bears S 30 W 15 lbs. dist. 4

a No. 7 " " " N 44 W 12 " "

60.47 an Elm 18 " "

61.50 a Brook 10 lbs. wide Course S. W.

71.00 Intersected the W. boundary 26 lbs. South of post

ch. 167 S. N. R. 8 E. 2nd Mer. Indiana

457

Set post Cor. to Sect. 6 & 7, from which
a Beech 20 in. dia. bears N 57 W 33 lbs. dist. 4
a No. 24 " " " S 58 E 18 " "
Land rather Broken timber Beech, Poplar, Sugar,
Ash &c. Undergrowth Spice. muddling farming Land

East On Pradon between Sect. 5 & 8

40. 00 Set temp. q. Sec. post
75. 00 a Creek 15 lbs. wide Course S. W.
79. 72 Intersected the N. & S. line 117 lbs. N. of post
rolling Land timber Same good farming Land

West Connected between Sect. 5 & 8.

39. 86 Set q. Sec. post, at average dist. from which
a Beech 5 in. dia. bears West 11 lbs. dist. 4
a No. 10 " " " N 45 E 13 " "
79. 86 to Section Corner.

North Between Sect. 5 & 6

11. 50 a Brook 6 lbs. wide Course W
40. 00 Set q. Sec. post, from which
a Beech 14 in. dia. bears S 62 W 20 lbs. dist. 4
a No. 24 " " " S 78 E 14 " "
52. 50 a Brook 6 lbs. wide Course W.
58. 82 a Beech 12 in dia.
60. 62 a No. 7 " "
77. 00 a Creek 15 lbs. wide Course S. W.
78. 69 Intersected the N. boundary 18 lbs. E. of post.
Set post Cor. to Sect. 5 & 6, from which
a Hickory 12 in. dia. bears S 55 W 18 lbs. dist. 4
a Beech 20 " " " N 45 E 63 " "
Land and timber Same as on the last mile.

Surveyed By James Tisson
Deputy, Surveyor

Conf.

I certify that the foregoing transcript of field notes
of Township N. 5 North, Range N. 8 E. 2^d Meridian
Indiana, has been compared with the original notes in
this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Oct. 20th 1842

William Johnston
Sur. Genl.